


VANITY INSTALLATION GUIDE

Illustrations may not reflect every exact model



VANITY INSTALLATION INSTRUCTIONS



BEFORE INSTALLATION: PLEASE CHECK ALL COMPONENTS CAREFULLY. IF COMPONENTS ARE INCORRECT, FAULTY OR DAMAGED, DO NOT PROCEED WITH INSTALLATION. CONTACT BELBAGNO IMMEDIATELY. INSTALLATION IS ACCEPTANCE OF GOODS AND WILL VOID WARRANTY



BEFORE YOU BEGIN

- Please read these instructions carefully to familiarize yourself with the required tools, materials, and installation sequences. Follow the sections that pertain to your particular installation. This will help you avoid costly mistakes. In addition to proper installation, read all operating and safety instructions.
- All information in these instructions is based upon the latest product information available at the time of publication. BelBagno reserves the right to make changes in product characteristics, packaging, or availability at any time without notice.
- These instructions contain important care and cleaning, please leave instructions for the consumer.



SAFETY WARNINGS

BelBagno products are precision-engineered and should give continued superior and safe performance, provided:

1. They are installed, commissioned, operated and maintained in accordance with the recommendations given in this Manual.

2. Periodic attention is given, as necessary, to maintain the product in good functional order.


Carefully inspect the new fixture for any signs of damage.

When installing BelBagno Products, manufacturers guidelines for power tool safety should be followed.

TOOLS LIST



TOOLS AND MATERIALS REQUIRED (Not supplied)




Drill




φ 8

Drill bit



φ 8


Glass drill




Screwdriver



Spirit level




Ruler



Pencil



Silicon sealant








Masking tape











After unpacking, please confirm the parts and quantity according to the following. (Please check the standard accessories and choose one of the following installation methods according to the accessories.)

H90 (hanger)

Cabinet 	Basin 
Fixed Accessories   Φ 8X40mm  M4X50mm  PAGE TO4-5	

H45 (oblique cut hanger)








Cabinet 	Basin 
Fixed Accessories   Φ 8X40mm  M4X50mm M4X70mm  PAGE TO6-7	


H00 (screws go into the wall directly)**Cabinet****Basin****Fixed Accessories** Φ 8X40mm

M4X50mm









PAGE TO8


H90 (hanger)

Metal box	
1 	2 
3 	4 
Wooden drawer	
1 	2 
3 	4 




H45 (oblique cut hanger)

Metal box	
1 	2 
3 	4 
Wooden drawer	
1 	2 
3 	4 




H00 (screws go into the wall directly)




Adjust the Drawers


ANCONA RANGE / ALEX RANGE / ATRIA RANGE / SOFT RANGE / LUX RANGE



Adjusting nut on underside of drawers.



To adjust the drawer UP (backwards tilt)
turn anti-clockwise.




To adjust the drawer DOWN (forward tilt)
turn clockwise.


PRADO RANGE / PROSPERO RANGE / FORMICA RANGE




Use a Phillips-head screwdriver to adjust
via the screw circled above.






To adjust the drawer UP (backwards tilt)
turn anti-clockwise.




To adjust the drawer DOWN (forward tilt)
turn clockwise.







Metal box



Wooden drawer



KEEP CABINET AWAY FROM WATER, which will cause deformation and damage.    CAUTION	DO NOT put lit cigarettes on the counter or basin, which will cause discoloration.    CAUTION
DO NOT pour acid or alkaline solutions into the basin, which will cause discoloration, leak or damage.    CAUTION	AVOID DIRECT SUNLIGHT, which may cause deformation and discoloration.    CAUTION
AVOID HEAT, which will cause deformation and discoloration.    CAUTION	DO NOT pour hot water into the basin, which may cause damage.    CAUTION
AVOID nylon brush, toilet cleaner or hydrochloric acid cleaner, which will cause damage    CAUTION	AVOID dropping hard objects into the basin, which may cause damage.    CAUTION

To extend the life of the product, please do the maintenance work every day. The following maintenance methods are for reference only.

- ☀ Please dry the cabinet immediately with clean, soft cloth when it encounters water.
- ☀ When the product is stained with dirt, wipe the cabinets clean with a soft, damp cloth, apply some cleaners, and dry immediately with another clean, soft cloth.
- ☀ The water supply pipes, the drainage pipes, and the connection parts are prone to water leakage under different circumstances. Please check these parts regularly to avoid accidents due to water leakage.
- ☀ After the product is used for a period of time, dirt will remain on the drain plug, which will affect drainage, so the plug needs to be cleaned regularly.

